



LED PANEL

RLED48E01

LED PANEL

Indoor Lighting

LED Panel هي تكنولوجيا جديدة تحل محل كشافات T5 , T8 التقليدية باستخدام LED chips الأكثر تقدماً والتي لها عمر طويل يصل لأكثر من 50,000 ساعة تشغيل مما يقلل التكاليف والصيانة إلى حد كبير. الوحدة مصممة بشكل خاص لتقديم حلول الإنارة العامة للمكاتب والفنادق والمستشفيات وكافة التطبيقات المشابهة. الوحدة مزودة بمحول تشغيل إلكتروني Driver أوروبي الصنع ذو جودة عالية حسب المواصفات القياسية السعودية والدولية. وتكون الوحدة داخل إطار من الألمنيوم عالي الجودة مع موزع أوبال من البوليكاربونات لضمان مردوداً ضوئياً عالياً.

LED Panel is the new technology to replace conventional T8 and T5 general lighting luminaries, based on the most advanced LED chips and drivers, it's has long life time (50,000 hrs) with best power consumption and Performance.

LED Panel especially designed to create general lighting solutions in offices, hotels, hospitals schools and all other similar applications.

It's equipped with high efficient electronic European driver as per Saudi and international standards.

The housing is made of aluminum with opal PMMA diffuser to provide high light efficiency.





Specifications

Mounting	Ceiling recessed
LED module type	SMD LED chips
LED power	48W
Voltage rating/ freq.	220-240V / 50-60 Hz
Control gear type	Remote electronic LED driver
Power factor	>0.95
Degree of protection	IP 40
Light controller	Opal PMMA diffuser
Color temp.	White
Rated lifetime	50,000 Hrs (@25C°)

ORDERING CODE

	L	W	H
SIDRA_RLED48E01	595	595	12





P.O. Box No. 1246
Riyadh 11431 | Saudi Arabia
T +966 1 14 77 77 00
F +966 1 14 78 94 69

92 000 63 22
www.sidralighting.com